The New World of VITRIFIED TILES








 $6\ 0\ 5\ x\ 6\ 0\ 5\ m\ m$ VITRIFIED TILES



- > Dry powder or colors are used to bring design in these tiles during the tile body or green tile is being made in a tile press.
- > Tile body or green tile made, is already fed with dry powder/oxide colors in its body. Tiles are sent directly for firing after the press.
- > Natural / stone look can be obtained in these tiles. Unlimited design choices and patterns is available due to manufacturing methods used.
- > The tiles have a Brighter appearance for much longer time & Shade variation is almost less / not visible due to natural design patterns.
- > Each tile design varies from other tiles. The manufacturing process used is the latest technology for bringing natural design on vitrified tiles.
- > Natural design and print nature is the basic property of these tiles.





NO WORRIES ..!

NANO TECHNOLOGY

Vitrified Tiles that comes with a transparent layered surface which keeps the tile dirt free & everlasting.









24 Carat **PLAINUM** Series










JET LEE 605x605mm

Vitrificados de 24"x24"



ROCK LEE 605x605mm


Vitrificados de 24"x24"







vitrificados vitrified tiles



JUBE LEE 605x605mm

Vitrificados de 24"x24"



CHAM LEE 605x605mm





LOVELY 605x605mm

Vitrificados de 24"x24"



J00 LEE 605x605mm

Vitrificados de 24"x24"







vitrificados vitrified tiles



BIJLEE 605x605mm

Vitrificados de 24"x24"



BRUCE LEE 605x605mm

Vitrificados de 24"x24"



CREAM LEE 605x605mm

Vitrificados de 24"x24"



ANJ LEE 605x605mm

Vitrificados de 24"x24"



LEE LEE 605x605mm

Vitrificados de 24"x24"

Apart from MULTI CHARGE SERIES, other quality series that rolls out from SPANISO VITRIFIED TILES are listed below,

- PIETRA SERIES SOLUBLE SALT LIFESTYLE SERIES PEI 5
- STONE FINISH RUSTIC WOODEN METALLIC LAPATO FINISH

Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instructions on the cartans of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAIL

Size	Tiles / Box	Thickness	Coverage Area sq. mt.	Wt. of Box kgs.
605x605mm	4 pcs.	10.0 mm	1.464	31.00

